HBRACHEN

湖北睿辰防护用品有限公司

HUBEI RUICHEN PROTECTIVE PRODUCTS CO., LTD

地址：No.61,Group12,Huangjing community,Xiantao China 433000

电话：+86 17807221888

网址：www.hbruichen.com

HBRACHEN







湖北睿辰防护用品有限公司

HUBEI RUICHEN PROTECTIVE PRODUCTS CO., LTD

中国 ▪ 湖北

R&C 睿辰防护

RUICHEN PROTECTIVE EQUIPMENT 为品质安全保驾护航

Hubei Ruichen Protective Products Co.,LTD is situated in Xiantao city,Hubei province,which is one of the largest non-woven items production base in China.

We are a leading manufacturer and exporter specialized in various kinds of disposable non-woven&plastic products,we have worked in this field for more than 10 years.From raw material selected,quality control during production to finished products,a series of strict management system and clean production environment,we can produce as customized,just to meet clients' satisfaction.

We offer a wide range of raw materials to meet our customer's requirements including: Spunbonded Polypropylene(SBPP), SMS,SMMS,PP+PE(PP with PE film laminated),SF(PP with microporous film laminated),Spunlace,Viscose, Polyethylene(PE), CPE, Nylon etc,

Our products are widely used in medical &health care,safety&protection,including lab,hospitals,clinics,hotels,electronic &pharmaceutical,food processing,decoration works,industry,clean care&home life etc.

With effective and efficient pre-sales and after-sales service,consistent quality,flexible delivery time,on-time shipping and competitive prices,we earned a lot of credit from our customers all over the world.We warmly welcome clients from home and abroad to visit us,sincerely hope to establish friendly business relationship with your esteemed customers.

COMPANY HONORS

/公司荣誉



















Type5B/6B Microporous Coverall

RCB-001

Fabric: 52%polypropylene+48%polyethylene film

No: RCB-001

Category: III


EN 13034:2005+A1:2009-Protection against liquid chemical, light spray(Type 6B)	
EN ISO 13982-1:2004+A1:2010-Protection against airborne solid particulates(Type 5B)	
EN 14126:2003+AC:2004-infective agents(Type 5B,6B)	
EN 1149-5:2018 -Electrostatic charges	
EN ISO 13688:2013 + A1:2021 -Protectivo clothing - general requirements	

Test on whole suits	Requirement	Result
Type 6(EN ISO 17491-4 met.A-EN 13034)		Pass
Type 5 (EN ISO 13982-2-ENISO 13982)	$L_{jmn,82/90} \leq 30\%$;$L_{s,8/10} \leq 15\%$	Pass
Seams:strength (EN ISO 13935-2)	Class 3 > 75N	Class 3
Test(EN 14126:2003+AC:2004)	**Requirement**	**Result**
Resistance to Penetration by Blood-Bone Phatogens - phi-x174 Bacteriophage(ISO 16603/16604)	Class 6: 20 kPa	Class 6
Resistance to Wet Microbial Penetration(ISO 22610)	Class 6: t>75min	Class 6
Resistance to Liquid Aerosols Penetration (ISO DIS 22611)	Class 3: log>5	Class 3
Resistance to Dry Microbial Penetration (EN ISO 22612)	Class 3: log cfu≤1	Class 3

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
1	50	50	52x32x50	350	720	850

DIMENSIONS(cm)

	Round	Height
S	84-92	162-170
M	92-100	168-176
L	100-108	174-182
XL	108-116	180-188
2XL	116-124	186-194





Type 5 Type 6 10993-1:2018 15223-1:2016

22610:2018

14971:2012

EN ISO 13982-1:2004+A1:2010
EN 13034:2005+A1: 2009
EN 14126:2003+AC:2004
EN 1149-5:2018
EN 14325:2004



Type 5
EN ISO 13982-1
2004+A1:2010

Type 6
EN 13034
2005+A1:2009

EN 14325:2018

Type5-B,Type6-B
EN 14126:
2003/AC:2004

EN 1149-5:2018

EN 1073-2:2002

Type5/6 Microporous Coverall With Taped RCB-002

Fabric: 52%polypropylene+48%polyethylene film

No: RCB-002

Category: III


The hooded coverall has a 3-piece hood with a self- adhesive chin flap and an elasticated facial opening, elasticated cuffs, ankles and waist back.The front zipper is covered by a flap with integral self- adhesive tape.

Test on whole suits	Requirement	Result
Type 6(EN ISO 17491-4 met.A-EN 13034)		Pass
Type 5 (EN ISO 13982-2-EN ISO 13982)	$L_{jmn,82/90} \leq 30\%$;$L_{s,8/10} \leq 15\%$	Pass
EN1073-2	Class 2: TIL≤3%;TIL≥2%; NPF=50	Class 2
Electrostatic Properties (EN 1149-5)	Max. $2.5*10^9\Omega$ on at least one surface	Pass
Seams:strength (EN ISO 13935-2)	Class 2 > 50N	Class 2
Test(EN 14126:2003+AC:2004)	**Requirement**	**Result**
Resistance to Penetration by Blood-Bone Phatogens - phi-x174 Bacteriophage(ISO 16603/16604)	Class 1: 0 kPa	Class 1
Resistance to Wet Microbial Penetration(ISO 22610)	Class 6: t>75min	Class 6
Resistance to Liquid Aerosols Penetration (ISO DIS 22611)	Class 3: log>5	Class 3
Resistance to Dry Microbial Penetration(EN ISO 22612)	Class 3: log cfu≤1	Class 3

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
1	50	50	65x41x42	250	530	620

DIMENSIONS(cm)

	Round	Height
S	84-92	162-170
M	92-100	168-176
L	100-108	174-182
XL	108-116	180-188
2XL	116-124	186-194



COVERALL RANGE OVERVIEW



RCB-003



RCB-004



RCB-005




RC-002



Surgical Gown RC-002

Material:	100% SMMS/SMS
Weight:	30-50gsm
Output:	50,000pcs/day

- Miderate level of fluid barrier protection
- Can meet the requirement of ANSI/AAMI PB70:2012 level 3 standard
- 45g SMMS non-woven material,with PP/PE reinforeced part in front chest and sleeves
- Ultrasonic welded seam for extra protection
- With cotton knitted cuffs,different sizes are available.



EN 13795-1&2

ASTM F2407-2020
ASTM LEVEL1 2 3

9073-10:2003

10993-1:2018

10993-5:2009

10993-10:2010

22612:2005

22610:2018

EN 1041:2008
EN 62366-1:2015+AC:2015
MDCG 2019-15
510K:K212718

DIMENSIONS(cm)

	S	M	L	XL	2XL
A	63	65	68.5	70	72.5
B	105	110	115	120	125
C	55	56	57	58	59
D	27	27	28	28	30

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
1	50	50	48x31x45	400	850	1000

Medical Isolation Gown

No.:	RC-007
Material:	100% SMMS/SMS
Weight:	40-50gsm
Output:	50,000pcs/day

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
10	100	10	44x32x50	390	800	950

No.:	RC-007
Material:	100% PP/SMS/PP+PE
Weight:	20-40gsm
Output:	50,000pcs/day

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
10	100	10	32x26x55	600	1100	1400



RC-007A RC-007B

EN 13795-1&2

ASTM F2407-2020
ASTM LEVEL1 2 3

MDCG 2019-15
510K:K212718

	Level 1	Level 2
AAMI Level/ Performance Requirements at 4% AQL	Spray Impact Penetration ≤ 4.5g	Spray Impact Penetration < 1.0g Hydrostatic, Pressure >20cm
Anticipated Risk of Exposure to Fluid	LOW	Between Low and Moderate
Gown Characteristics (Weight)	Light-weight SMS fabric	Medium-weight SMS fabric
Recommended Areas of Uset	Clinical Use, Laundry, Housekeeping	ICU, Dialysis, Med/Surg Unit, Nursery, Lab Pathology, Laboratories, Hyperbaric
Recommended Tasks	Transporting Patients Basic Patient Care	Blood Draw Suturing Inserting I.V.Lines



ISO 45001:2018 ISO 13485:2016 ISO 9001:2015 ISO 14001:2015

EN 14605+A EN 13688 EN 1073-2 CE

Scrub Suits RCB-006


Material:	100% PP/SMS
Weight:	35-85gsm
Output:	5000pcs/day

Our scrub suits are made of a high-quality PP/SMS fabric that combines strength, softness and comfort.Short sleeve tops feature an easy-to-don Crew-neck and two large front pockets. Pants are constructed with an elastic waist.

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
1	50	50	56x31x36	450	930	1050

DIMENSIONS （cm） COMMAGE

	S	M	L	XL	2XL
A	71.0	73.0	75.0	77.0	79.0
A1	62.0	64.0	66.0	68.0	70.0
O	53.0	55.0	57.0	59.0	61.0
C	22.0	23.0	24.0	25.0	26.0
D	24.5	25.5	26.5	27.5	28.5
E	23.0	23.5	24.0	24.5	25.0



DIMENSIONS （cm） PANTALONS

	S	M	L	XL	2XL
K	34.0	36.0	38.0	40.0	42.0
L	31.0	32.0	33.0	34.0	35.0
M	40.0	41.0	42.0	43.0	44.0
N	53.0	55.0	57.0	59.0	61.0
P	33.0	34.0	35.0	36.0	37.0
R	20.0	20.5	21.0	21.5	22.0
S	73.0	74.0	75.0	76.0	77.0


Lab Coat RCB-007

Material:	100% PP/SMS/PP+PE
Weight:	20-50gsm
Output:	10000pcs/day

Lab coats play a vital role in protecting workers and keep ing working environments clean. Our lab coats protect the wearer's skin and clothing from potentially hazardous materials while preventing cross-contamination.

- With button/zipper/velcro
- With or Without pocket
- With elastic cuffs/knitted cuffs
- With single/double collar or knitted collar

Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
(pcs)	(pcs)	(bags)	(cm)	20'GP	40'GP	40'HQ
10	100	10	53x28x52	350	750	870



DIMENSIONS (cm)

	S	M	L	XL	2XL
A	106.0	108.0	110.0	112.0	114.0
A1	62.5	65.0	67.5	70.0	72.5
O	62.5	65.0	67.5	70.0	72.5
C	27.0	27.0	28.0	28.0	30.0
D	55.0	56.0	57.0	58.0	60.0
E	16.0	16.0	17.0	17.0	19.0



ISO 45001:2018 ISO 13485:2016 ISO 9001:2015 ISO 14001:2015

EN 14605+A EN 13688 EN 1073-2 CE

Apron RCB-008

Description	Option
Material	PE/CPE/TPE
Process	cutting
Style	regular style, wall hanging, lengthened belt
Size	70*117cm/80*130cm/82*140cm
Gram Weight	7-30g/pc
Color	blue, white, red, green, etc.
Packing	100 pcs/ bag. 10 bags/ ctn
Feature	waterproof, anti-fouling, sanitary and convenient
level	SGS food grade test report
Remark	size and packing can be customized
Applicable scenario	All kinds of factories, laboratories, household, food workshops.

EN 14605+A EN 13688 EN 1073-2 CE ISO 45001:2018 ISO 13485:2016 ISO 9001:2015 ISO 14001:2015





Disposable Plastic Clothing

RCB-009

Description	Option
Material	CPE
Process	cutting, heat sealing
Style	straight pendulum, swallow tail, elastic cuff and so on
Size	112*117cm/118*131cm/115*125cm
Gram Weight	25-70g/pc
Color	White, blue, pink, yellow, green
Packing	1 pc/bag, 15 pcs/box, 75 pcs/ctn
Feature	back broken point type, waterproof, anti-fouling, sanitary and convenient
level	Level 2
Remark	size and packing can be customized
Applicable scenario	All kinds of factories, laboratories, household, food workshops.

GARMENT RANGE OVERVIEW


RCB-010


RCB-011


RCB-012


RCB-013


RCB-014


RCB-015


RCB-016


RCB-017


RCB-018


RCB-019


RCB-020


RCB-021





Medical Face Mask

RC-001

Material:	SSS Non-woven Fabric, Meltblown
Weight:	25gsm + 25gsm + 25gsm
Output:	10,000,000pcs

Breaking strength of strap at the joint point of each mask strap and mask body,N	10
Bacterial filtration efficiency, %	≥98
Differential pressure, mm H_2O/cm^2	<6.0
Sub-micron particulate filtration efficiency at 0.1 micron,%	≥98
Resistance to penetration by synthetic blood minimum pressure in mm Hg for pass result	160

Product	Size (cm)	Layers	Pcs/box (pcs)	PCS/CARTON (pcs)	PCS/CARTON (boxes)	Carton dimension (cm)	Container content(cartons) 20"GP	40"GP	40"HQ
medical face mask(Adult)	17.5x9.5	3	50	2000	40	52x38x30	450	900	1100
medical face mask(Children)	14.5x9.5	3	50	2000	40	52x36x30	500	1000	1200
medical face mask(Baby)	12.5x9.0	3	50	2000	40	52x34x30	550	1150	1350
Certificate	CE、ISO13485、9001、ASTM F2100-2020(LEVEL3)								

The product applies CE based on EU DECLEARATION OF CONFORMITY following the AnnexII+ Annex III + Article 19 f MDR(EU)2017/745

Surgical Face Mask RCF-001
With Tie

Material: SSS Non-woven Fabric, Meltblown
Weight: 25gsm + 25gsm + 25gsm
Output: 2,000,000pcs



Breaking strength of strap at the joint point of each mask strap and mask body,N	10
Bacterial filtration efficiency, %	≥98
Differential pressure, mm H_2O/cm^2	<6.0
Sub-micron particulate filtration efficiency at 0.1 micron,%	≥98
Resistance to penetration by synthetic blood minimum pressure in mm Hg for pass result	160
Splash resistance pressure (kPa)	≥16
Microbial cleanliness(cfu/g)	≤30



Product	Size (cm)	Layers	Paper-plastic box (pcs)	PCS/CARTON (pcs)	PCS/CARTON (boxes)	Carton dimension (cm)	Container content(cartons) 20"GP	40"GP	40"HQ
surgical face mask with tie	17.5x9.5	3	50	2000	40	52x38x40	350	730	860
Certificate	CE、ISO13485、9001、EN14683:2019(TYPE IIR)、ASTM F2100-2020 (LEVEL3)、YY0469-2011								

The product applies CE based on EU DECLEARATION OF CONFORMITY following the AnnexII+ Annex III + Article 19 f MDR(EU)2017/745

Medical Protective Mask (KN95/N95) RCF-002

Material: SSS Non-woven Fabric, Meltblown hot air cotton
Weight: 25gsm+25gsm+45gsm+25gsm+50gsm
Output: 2,000,000pcs





Breaking strength of strap at the joint point of each mask strap and mask body,N	10
particle Bacterial filtration efficiency,%	≥98
Bacterial filtration efficiency, %	≥98
The breathing resistance of the filter of the particle filtering(Inhalation),95 l/min	2.4
The breathing resistance of the filter of the particle filtering(Exhalation),160 //min	3.0
Penetration of filter material,Maximum penetration of test aerosol.95 l/min% max	≤6
Microbial cleanliness(cfu/g)	≤30

Product	Size (cm)	Layers	Pcs/box (pcs)	PCS/CARTON (pcs)	PCS/CARTON (bags)	Carton dimension (cm)	Container content(cartons) 20"GP	40"GP	40"HQ
medical protective mask(Adult)	16x11	5	20	1000	50	52.5x36.5x59.5	245	500	600
medical protective mask(Children)	12x8	5	20	1000	50	70x37x35	300	640	750
Certificate	**CE、ISO13485、ISO10993、EN149:2001、EN13274-7:2019、GB2626-2019**								

Product complies with the applicable essential health and safety requirements of Personal Protective Equipment Regulation 2016/425.
EN 149:2001 + A1:2009Respiratory protective devices. Filtering half masks to protect against particles, with a device classification of FFP2 NR,with conformity assessment procedure module C2 or D.

Medical Protective Mask (KF94) RCF-003

Material: SSS Non-woven Fabric, Meltblown hot air cotton

Weight: 25gsm+25gsm+45gsm+25gsm+50gsm

Output: 5,000,000pcs

Breaking strength of strap at the joint point of each mask strap and mask body,N	10
particle Bacterial filtration efficiency, %	≥98
Bacterial filtration efficiency, %	≥98
The breathing resistance of the filter of the particle filtering(Inhalation),95 l/min	2.4
The breathing resistance of the filter of the particle filtering(Exhalation),160 l/min	3.0
Penetration of filter material,Maximum penetration of test aerosol,95 l/min% max	≤6
Microbial cleanliness(cfu/g)	≤30





Product	Size (cm)	Layers	Pcs/box (pcs)	PCS/CARTON (pcs)	PCS/CARTON (bags)	Carton dimension (cm)	Container content(cartons) 20"GP	40"GP	40"HQ
medical protective mask(Adult)	20.5x8	4	20	1000	50	52x50x29.5	350	740	860
medical protective mask(Children)	17x7	4	20	1400	70	50x40x56	250	510	600
Certificate	**CE、 ISO13485、9001、EN149:2001、EN13274-7:2019、GB2626-2019**								

Product complies with the applicable essential health and safety requirements of Personal Protective EquipmentRegulation 2016/425.

EN 149:2001 + A1:2009Respiratory protective devices. Filtering half masks to protect against particles, with a device classification of FFP2 NR,with conformity assessment procedure module C2 or D.



Disposable Mask with Eye Shield RCF-006

Fluid-Resistant Face Masks with Eyeshield offer full protection against fluids at either the ASTM F1862 160 mmHg or 120 mmHg Fluid Resistance Levels while attached eyeshield offers protection over eyes or glasses.

An anti-fog strip of comfortable, soft foam prevents eyeglasses from fogging, thus ensuring optical clarity while ear loops create secure attachment.Bacterial Filtration Efficiency > 99%, PFE > 99%, ASTM F1862 160 mmHg / 120 mmHg Fluid Resistance.

ASTM Level 3 for procedures producing moderate to heavy amounts of fluid, spray and/or aerosols.

25 Surgical Face Masks per box.

Face Shield RCF-005

Anti-fog, optically clear polyester provides increase level of protection from splatter and airborne particles.

Latex-Free elastic headband with contoured foam that rests against your forehead.

Disposable to help fight cross-contamination.

24 Face Shields per box. 4 Boxes to a case.

If you are looking for disposable face shields that offer optimal protection against splatters and airborne particles, these full length disposable face shields are the perfect choice. These products are made with an optically clear polyester which is also anti-fog to avoid interfering with your clarity when working. The face shield is held in place using a latex free elastic headband which is outlined against your head using foam. These face shields are best suitable for use in healthcare field.



Bouffant Cap RCH-001



Material: PP/SMS/PP+PE


Weight: 9gsm-35gsm

Size: 18', 21', 24', and Customized Size





Product	Weight	Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
	(g)	(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
bouffant cap	15	100	2000	20	47x30x58	340	700	820



RCH-002

NO RINSE SHAMPOO CAP

Type: Elastic.
Material: Spunlace+PE.
Weight:60gsm.
Size: 21', 24' and Customized.
Packing: 100 pcs/ bag, 1000 pcs / carton.



RCH-003

PRINTED NONWOVEN CAP

Type: Elastic.
Material:PP/SMS.
Weight:20gsm-40gsm.
Size:21', 24' and Customized.
Packing: 100 pcs/bag,1000 pcs/carton.



RCH-004

PRINTED SHOWER CAP

Type:Elastic.
Material:PE.
Weight:4g, 5g, 6g.
Size: 18',21',24",and Customized.
Packing: 100 pcs/bag, 1000 pcs/carton.



RCH-005

PAPER CHEF HAT

Material: Paper.
Weight:60gsm.
Size:Free Size.
Packing:100 pcs/bag,1000 pcs/carton.

Hair Cover



RC-005

SURGEON CAP

Type: Tie Back.
Material: SMS/PP.
Weight:20gsm-40gsm.
Size: 60cm*12cm and Customized.
Packing: 100 pcs/ bag, 2000 pcs / carton.



RCH-006

SURGEON CAP

Type: Elastic Fastener.
Material:SMS/PP.
Weight:20gsm-40gsm.
Size:60cm*12cm and Customized.
Packing: 100 pcs/bag, 2000 pcs/carton.



RCH-007

MOB CAP(NORMAL)

Type: single Elastic or Double Elastic.
Material:PP.
Weight:9gsm-35gsm.
Size: 18',21',24" and Customized.
Packing: 100 pcs/bag, 2000 pcs/carton.



RCH-008

MOB CAP(Aluminium Bar)


Type: single Elastic or Double Elastic.
Material: PP with Aluminium Bar.
Weight:11gsm-30gsm.
Size:18',21',24' and Customized.
Packing:100 pcs/bag, 2000 pcs/carton.



RCH-009

BALACLAVA CAP


Type: With Elastic.
Material:PP
Weight:9gsm-35gsm.
Size:38cm*37cm and Customized.
Packing:100 pcs/bag,1000 pcs/carton.



RCH-010

ASTRONAUT CAP

Type: With Tie Band.
Material:PP
Weight:15gsm-35gsm.
Size:38cm*37cm and Customized.
Packing:100 pcs/bag,1000 pcs/carton.



RCH-011

ELASTIC HOOD WITH FACE MASK

Material:PP.
Weight:15gsm-35gsm.
Color: Blue,White,Green and Customized.
Size:38cm*37cm and Customized.
Packing:100 pcs/bag,1000 pcs/carton.



RCH-012

ELASTIC HOOD WITH CAP

Material:PP or Microporous.
Weight:15gsm-35gsm.
Color: Blue or White.
Size:60cm*3lcm and Customized.
Packing:10 pcs/bag,100 pcs/carton.



RCH-013

SNOOD CAP

Material:PP.
Weight:90gsm+30gms+12gsm.
Color: Blue,White,Greenand Customized.
Size:58cm,60cm,62cm and Customized.
Packing: 100 pcs / bag,1000 pcs/carton.



RCH-014

SHOWER CAP

Material: PE.
Weight:2g, 3g, 4g.
Color: Transparent, Pink,and Customized.
Size:18',21' and customized.
Packing:100 pcs/bag, 2000 pcs/carton.



Boot Cover With Tape

RCF-001

Material:	Microporous
Weight:	30gsm、70gsm
Size:	35cmx40cm、40cmx40cm、37cmx50cm
Packing:	50pcs/bag,500pcs/carton





Product	Weight	Pcs/bag	PCS/CARTON		Carton dimension	Container content(cartons)		
	(g)	(pcs)	(pcs)	(bags)	(cm)	20"GP	40"GP	40"HQ
boot cover with tape	63	50	500	10	50x30x50	370	770	900



PP SHOE COVER

RC-004

Material: PP.
Weight: 25gsm-45gsm.
Color: Blue or Green.
Size:15cm*40cm,16cm*40cm.
18cm*40cm.
Packing:100 pcs/bag,2000 pcs/carton.



PE SHOE COVER

RCF-002

Material: PE.
Weight:1.5g-3.5g.
Color: Blue or Green orTransparent.
Size:15cm*40cm,16cm*40cm,
18cm*40cm
Packing:100 pcs/bag,2000 pcs/carton.



CPE SHOE COVER

RCF-003

Material: CPE.
Weight: 1.5g-3.5gand Customized,
Color: Blue or Green.
Size:15cm*40cm,16cm*40cm,
18cm*40cm.
Packing:100 pcs/bag,2000 pcs/carton.



PP +CPE SHOE COVER

RCF-004

Material:PP+CPE.
Type: Primary Anti-slip.
Weight:30gsm-45gsm.
Color: Blue or white.
Size:15cm*40cm,16cm*40cm,18cm*40cm.
Packing:100 pcs/bag,2000 pcs/carton.

Footwear Protection



SHOE COVER

RCF-005

Material: PP/Microporous.
Type: Elastic Flastening.
Weight:25gsm-65gsm.
Color: Blue or White.
Size:18*40cm.
Packing:100pcs/bag,1000 pcs/carton.



SHOE COVER FOR CLEANING ROOM

RCF-006

Material:Microporous+PVC SOLE.
Weight:30gsm-45gsm.
Color: Blue or white.
Size:16*36cm.
Packing: 100 pcs/bag,500 pcs/carton.



ANIT-STATIC SHOE COVER

RCF-007

Material:PP,SMS with ESD tape.
Type: superior ESD.
Weight:30gsm-45gsm.
Color: Blue or White.
Size:15cm*40cm,16cm*40cm,18cm*40cm
Packing:100 pcs/bag,2000 pcs/carton.



ANIT-SLIP SHOE COVER

RCF-008

Material: PP, SMS.
Weight:30gsm-45gsm.
Color: Blue or Green.
Size:15cm*40cm,16cm*40cm,
18cm*40cm.
Packing:100 pcs/bag,2000 pcs/carton.



BOOT COVER

RCF-009

Material: PP/Microporous.
Type: Tie Flastening.
Weight:25gsm-65gsm.
Color: Blue or White
Size:35cm*40cm,40cm*40cm,37cm*50cm.
Packing:100 pcs/bag,1000 pcs/carton.



BOOT COVER

RCF-010

Material: PP/Microporous.
Type: Elastic Flastening.
Weight:25gsm-65gsm.
Color: Blue or White.
Size:35cm*40cm,40cm*40cm,37cm*50cm.
Packing:100pcs/bag,1000 pcs/carton.



BOOT COVER

RCF-011

Material: PP/Microporous.
Type: Tie Flastening.
Weight: 25gsm - 65gsm.
Color: Blue or White
Size: 35cm*40cm,40cm*40cm,37cm*50cm
Packing: 100 pcs / bag, 1000 pcs/carton.



PP BOOT COVER

RCF-012

Material:PP.
Type: Elastic Flastening
Weight:20gsm-55gsm.
Color: Blue or white.
Size:35cm*40cm,40cm*40cm,
37cm*50cm.
Packing:100pcs/bag,1000 pcs/carton.



PE BOOT COVER

RCF-013

Material: PE.
Type: Elastic Flasteningand Anti-slip sole.
Weight:1.5g-3g.
Color:Transparent,Blue,and White.
Size:35cm*40cm,40cm*40cm,37cm*50cm.
Packing: 100pcs/bag,1000 pcs/carton.



PP BOOT COVER

RCF-014

Material:PP.
Type: Elastic Flasteningand Anti-slip sole.
Weight:20gsm-55gsm.
Color: Blue or White.
Size:35cm*40cm,40cm*40cm,37cm*50cm.
Packing:100 pcs/bag, 1000 pcs/carton.

Other Protection

These accessories series are designed to help protect againsit certain light liquid splashes（Type PB[6]）and infective gents（EN14126，type PB[6]-B）. It is manufactured from a white nonwoven laminated with a white microporous film with internal stiches seams.

Type PB[6] EN 13034 2005+A1:2009

EN 14325:2018

TypePB[6]-B EN14126: 2003/AC:2004

EN 1149-5:2018

Microporous Shoulder Hood
RCO-001




- Elasticated face opening
- Neoprene rubber (latex free)

Microporous Shoe Cover
RCO-002



- Elasticated opening up to ankle
- Anti-slip PVC sole design is optional
- Neoprene rubber (latex free)

Microporous Sleeve Cover
RCO-003



- Elasticated openings at both ends (bicep and wrist)
- Neoprene rubber (latex free)

Microporous Boot Cover
RCO-004



- Elasticated opening at ankle and up to calf
- Anti-slip PVC sole design is optional
- Neoprene rubber (latex free)
- DD305T Boot cover with tie /DD305$T Boot cover with sole & tie is optional

Microporous Jacket
RCO-005



- Laydown collar with elasticated wrists
- front zipper closure for easy donning and doffing
- eDD307H Hooded jacket is optional

Microporous Trousers
RCO-006



- Elasticated waist to fit body size
- Sufficient crotch area for easy movement

Microporous Apron
RCO-007



- Enhanced frontal protection
- Neck loop
- Adjustable ties at waist

Other Protection



RCO-008

BEARD COVER

Material: PP.
Weight:9gsm-20gsm.
Color: White,Blue.
Size:10'-24'
Packing:100 pcs/bag,2000 pcs/carton.



RCO-009

UNDERPAD

Material:Nonwoven fabric ,Cotton,etc.
SAP:2-4g
Size:60*90cm and Customized.
Packing:20 pcs/bag,180 pcs/carton.



RCO-010

DISPOSABLE SLEEVE

Material:PE/CPE.
Weight:2.5-4.5g
Color: Green,Blue,White,and Customized.
Size:40cm*20cm.
Packing:100pcs/bag,4000 pcs/carton.



RCO-011

DISPOSABLE SLEEVE

Material:PP/SMS.PP+PE/microporous
Weight:15-60gsm.
Color: White or Blue.
Size:40cm*20cm.
Packing:100 pcs/bag,2000 pcs/carton.



RCO-012

DISPOSABLE UNDERWEAR

Material: Cotton/Nonwoven.
Weight:45- 90gsm.
Color: White, Pink, Black,and Customzed.
Size:s,M,L.XL,and Customized.
Packing:1pcs/bag,600 pcs/carton.



RCO-013

WET WASHING GLOVES

Material: Polyester.
Weight:30-50gsm
Color: White with Blue Lattice.
Size:15cm*22cm.
Packing:100 pcs/bag,1000pcs/carton.



RCO-014

INDUSTRIAL CLEANING PAPER

Material:Cellulose and polyester.
Weight:60gsm.
Color:Blue,White,Customized.
Size:25*37cm*500.
Packing:4 rolls/carton.



RCO-015

DISPOSABLE GLOVES

Material: PE,
Weight:5g,6g,7g
Color:Transparent and Blue.
Size:30cm.
Packing: 100 pcs/bag,1000 pcs/ carton.



RCO-016

BED SHEET

Material:PP,PP+PE,SMS,Spunlace.
Weight:20gsm-45gsm.
Color: White,Blue.
Size:90cm*190cm*15cm.
Packing:10 pcs/bag,200 pcs/carton.



RC-006

GAUZE PAD

Usage：Hospital,clinic,home care etc.
Weight：30gsm
Color：White
Size：2x2",3x3",4x4"
Packing：100pcs/bag,
10000pcs/carton